

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standards 29 CRP 1910.1200. Standards must be consulted for specific requirements.

Section I

Manufacturer's Name & Address:

Sealers, Inc.
5017 S. 38th St.
St. Louis, MO 63116

Emergency Telephone Number:

(314) 752-4667

Chemical Family:

Reinforced Butyl Composite

Date Prepared:

01/01/2012

Product Use:

Insulating and Sealing
Low voltage Cables and Connectors

Product Name:

#1201 Insulating Sealer

Section II - HAZARDOUS INGREDIENTS

<u>Hazardous Components</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>%</u>
-----------------------------	--------------	-----------------	------------------	----------

The primary components utilized in manufacturing of this product are unsaturated Polymer, inert inorganic minerals and plasticizers. These materials are believed to be non-hazardous and are listed under TOSCA Regulations.

Section III - PHYSICAL DATA

Physical State:	Very Heavy Liquid	Odor & Appearance:	Black extruded non-odorous, pressure sensitive tape
Vapor Pressure:	n/a	Vapor Density:	n/a
pH:	Neutral	Evaporation Rate:	n/a
Specific Gravity:	1-41 G/CC	Coeff. Water/Oil Dist.	n/a
VOC (Grams/Liter):	None	Boiling Point (C):	n/a
Solubility in Water:	Insoluble	Odor Threshold (ppm):	n/a
Freezing Point (C):	-40° C	Volatiles by Wt. (%):	3%

Section IV - FIRE & EXPLOSION HAZARD DATA

Flammability:	n/a
Flash-pointing:	450° F COC
Auto-ignition:	n/a
Lower/Upper Flammable Limit:	n/a
Hazardous combustion Products:	n/a
Explosion Data:	n/a
Sensitivity to Impact:	None
Sensitivity to Static Discharge:	None
Extinguishing Media:	Foam, NO ₂ , and/or dry chemicals
Special Fighting Procedures:	Water may not be suitable. Wear appropriate fire-fighting apparatus, CO ₂

Unusual Fire & Explosion Hazards: and/or CO may be involved.
None

Section V - REACTIVITY DATA

Chemical Stability: Stable
Hazardous Polymerization: Will not occur
Conditions to Avoid: Decomposes at high temperatures to Isobutene
Incompatibility: Strong, Oxidizing agents and acids
(Materials to Avoid) n/a
Hazardous Decomposition Products: CO, NO₂, H₂O, and Isobutene

Section VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Skin Contact () Skin Absorption () Eye Contact () Inhalation () Ingestion ()
Effects of Acute Exposure to Product: none
Effects of chronic Exposure to Product: none
Exposure Limits: Stable, not established
Irritability of Product: none
Sensitization to Product: none
Carcinogenicity: No evidence
Teratogenicity: None
Reproductive Toxicity: None
Mutagenicity: None
Synergistic Products: None

Section VII - PREVENTATIVE MEASURES

Personal Protective Equipment:
Gloves (specify): Cotton, PVC, or Polyethylene gloves.
Respirator (specify): Not needed
Eye (specify): Wearing eyeglasses is good industrial practice
Footwear (specify): Industry approved high strength shoes.
Clothing (specify): Appropriate clothing for skin protection.
Other (specify): If product is used above 100° F, respirator may be useful.
Engineering Controls (specify): n/a
(EG, Ventilation Enclosed Process) n/a
Leak or Spill Procedure: Will not spill.
Handling Procedures & Equipment: Wash hands with soap and water after use.
Storage Requirements: Store in a cool, dry place.
Special Shipping Information: Class 50.

Section VIII - FIRST AID MEASURES

Specific Measures:

Eye Contact:

Do not remove. Contact physician immediately.

Skin contact:

If sensitive, contact dermatologist.

Inhalation:

n/a

Ingestion:

Not likely, but if should occur, seek medical help immediately

Section IX - SARA SECTION 131 SUPPLIER NOTIFICATION

Cas Number:

n/a

Chemical Name:

n/a

Percent by Weight:

n/a

Section X - PREPARATION INFORMATION

Prepared By (Group, Department, etc.):

Vasu Patel, Research & Development

Phone Number:

(314) 752-4667

Date:

01/01/2012

Supersedes All Previous Publications